

ADDENDUM to Tender No. GEN-13018/10/19-ADMIN CH-8560 for Supply and fixing carpet for Auditorium

Specification for Carpet:

Supplying and Fixing of broadloom carpet of 100% Nylon Cut Pile , Chromojet Printed , Height 9 mm (\pm 1 mm), Total Height 11 mm (\pm 1 mm), Stitch / 10 cm 53-55 (\pm 2%), Pile Weight Net less Than 1200 GSM (\pm 5%), Total Weight 2391 GSM (\pm 5%), Secondary Backing PP Mesh, Gauge 1/8 Cut Pile, Latex Natural Rubber, Color fastness to Light Test Method: AATCC 16 (20 AFU) \geq 4.0 at 80 Hours , Static Electricity Test Method: AATCC 134 Less than 3.5 KV, Hexapod test Method: ASTM D 5252 \geq 4, Flammability (Radiant Panel).

Terms & Condition

1. The carpet and Underlay (min 6 mm) will be installed with standard **Fevicol/Dunlop** Adhesives.
2. The flooring to be installed as per the manufacture's specification and to be installed by its authorized agency or as Approved.

Warranty

Minimum **5 Years warranty** from Principal for any manufacturing defects .

Make : -

Welspun , Unitex , Knots and tufts , Rockworth or equivalent